RPAG meeting

2025 IRP

January 12, 2024





FNFRG

Safety moment

Extension cord safety

- Never plug an extension cord into another extension cord
- Make sure your extension cord is properly rated for their intended indoor or outdoor use
- Always plug an outdoor extension cord into a GFCI outlet
- Discard frayed or cracked cords



Facilitator requests

- Engage constructively and courteously towards all participants
- Respect the role of the facilitator to guide the group process
- Avoid use of acronyms and explain technical questions
- Use the Feedback Form for additional input to PSE
- Aim to focus on the webinar topic
- Public comments will occur after PSE's presentations



Agenda

Time	Agenda Item	Presenter / Facilitator
12:00 p.m. – 12:05 p.m.	Introduction and agenda review	Sophie Glass, Triangle Associates
12:05 p.m 12:10 p.m.	Timeline update and public feedback summary	Phillip Popoff, PSE
12:10 p.m 1:05 p.m.	Demand forecast	Lorin Molander, PSE Allison Jacobs, PSE Stephanie Price, PSE
1:05 p.m 1:50 p.m.	Emerging resource assessment overview	Elizabeth Hossner, PSE
1:50 p.m 2:00 p.m.	Next steps and public comment opportunity	Sophie Glass, Triangle Associates
2:00 p.m.	Adjourn	All



Today's speakers

Sophie Glass Facilitator, Triangle Associates

Phillip Popoff Director, Resource Planning Analytics

Lorin Molander

Manager, Load Forecasting and Analysis, PSE

Allison Jacobs

Consulting Load Forecast Analyst (gas)

Stephanie Price

Consulting Load Forecast Analyst (electric)

Elizabeth Hossner

Manager, Resource Planning and Analysis



2025 IRP timeline update

- Washington Utilities and Transportation Commission approved PSE's petition to extend the 2025 gas and electric IRP filing date to March 31, 2025
- PSE's updated work plan reflects this approved timeline
- Please reach out if you have concerns about any specific meeting dates



December 7 Emerging resources: hydrogen public webinar feedback summary

- Meeting summary and feedback report available on the <u>PSE IRP</u> website
- PSE received 16 questions or comments during the meeting and 2 comments via feedback form
- 45 people participated via Zoom, 101 views on <u>YouTube</u>
- Feedback themes included:
 - Support for leveraging hydrogen for high value uses (peaking capacity, industrial)
 - Concerns with blending hydrogen in the gas system
 - Questions about the cost effectiveness of hydrogen



Demand forecast

Base Case Results

Lorin Molander, Manager Load Forecasting & Analysis Allison Jacobs, Consulting Load Forecast Analyst (Gas) Stephanie Price, Consulting Load Forecast Analyst (Electric)



Updated demand forecast

- Overview
- Natural gas results
- Electric results
- Next steps
- Appendix



Overview

- The forecast period is 2026 2050
- The forecasts presented herein are for PSE's entire service area
- The base/reference forecast is "business as usual"
- IRP analytics will determine the amount of future demand-side resources (DSR)



Base/reference case assumptions

- Impacts of numerous natural gas decarbonization policies in effect that impact new customer growth are included, driving residential natural gas growth down to zero starting in 2024
- Impacts of potential future policies or programs incentivizing existing gas customers to switch to electric are not assumed in this reference case forecast (but will be addressed in scenarios)
- Recent federal and state transportation electrification policies significantly increase the electric load forecast
- An economic slow down in 2024 is expected
- The 2025 IRP reflects post-pandemic **usage trends**, so the forecast assumes patterns similar to 2022 usage behaviors



Major drivers of the forecast

	Update	Impact
Electric Vehicles	Includes impact of recent legislation and forecast of medium and heavy duty EVs	Increases electric energy and peak forecasts
Economy	Near term slowdown expected	Lower customer growth before IRP forecast period
Climate Change	As with the 2023 IRP, forecast assumes normal temperatures that reflect continued warming over time	Decreases energy and peaks for heating and increases energy and peaks for cooling
Other	Incorporates recent actual customer counts and billed sales data, new major block loads	Mixed impacts
Sceman Policy	Impacts of building electrification policies beyond policies currently in effect	TBD, not included in the base case



Natural gas results

- Customer growth
- Energy
- Peak



Natural gas: customer growth forecast vs. 2023 IRP

- No new residential customers
- Commercial class grows modestly
- Industrial class declines





Natural gas: energy forecast composition





Natural gas: energy forecast vs. 2023 IRP

- Energy is down 8% in 2050 vs.
 2023 IRP
- Forecast decreases over time due to
 - Climate change effects
 - Industrial customer decline
- The 2025 IRP demand forecast after DSR will be available once final DSR is determined

System Level Natural Gas: Forecast of loads from the 2025 IRP and 2023 IRP

Units: Therms x10,000 (MDth) Data Sources: Load Forecast models Notes: Firm and Interruptible customers; No new DSR after committed 2 year targets





Natural gas: peak forecast composition





Natural gas: peak forecast vs. 2023 IRP

- Peak is up 3% in 2050 vs. 2023 IRP
- Commercial customers
 increase over time
- The 2025 IRP peak forecast after DSR will be available once final DSR is determined





Electric results

- Customer growth
- Energy
- Peak winter and summer



Electric: customer growth forecast vs. 2023 Electric Progress Report (EPR)

- Less customer growth than 2023 Electric Progress Report
- Updates: post-pandemic trends and softer near-term economic outlook



ENERG

Electric: energy forecast composition – not including electric vehicles (EVs) or new demand side resources





(DSR)

Electric: energy forecast composition – with EVs





Electric: energy forecast vs. 2023 Electric Progress Report

- Demand higher by 1-2% before EV growth
- Including EV growth, demand higher by 24% in 2040
- Positive customer growth, steady use per customer (UPC), and new EVs yield demand growth, before DSR
- Updates: all new customers assume electric HVAC usage and post-pandemic usage increase average usage, 2023 Guidehouse EV Forecast
- The 2025 IRP demand forecast after DSR will be available once final DSR is determined

System Level Electric: Forecast of demand from the 2025 IRP and 2023 EPR

Units: aMW Data Sources: Load Forecast models Notes: No new DSR after committed 2 year targets





Electric: Winter and summer peak forecast composition – not including EVs (or additional DSR)

System Level Electric: Forecast of Winter Peak before Electric Vehicles and DSR from the 2025 IRP



from the 2025 IRP



System Level Electric: Forecast of Summer Peak before Electric Vehicles and DSR

Electric: winter and summer peak forecast composition – with EVs



System Level Electric: Forecast of Summer Peak before DSR from the 2025 IRP



2048

2050

10,000

9,000

8,000

7,000

6.000

5.000

4.000

3,000

2,000

1,000

Electric: winter peak forecast vs. 2023 Electric Progress Report

- Winter peak lower by 1-3% before EV growth
- Including EV growth, winter peak higher by 28% in 2040
- Long-term growth drivers:
 - New customer growth
 - Electric vehicles
 - 2021 WA Code update
- The 2025 IRP peak forecast after DSR will be available once final DSR is determined

System Level Electric: Forecast of Winter Peak from the 2025 IRP and 2023 EPR





Electric: summer peak forecast vs. 2023 Electric Progress Report

- Summer peak higher by 2-4% before EV growth
- Including EV growth, summer peak higher by 30% in 2040
- Long-term growth drivers: ٠
 - New customers/growth ٠
 - **Electric vehicles** ٠
 - Air conditioning saturation growth
- The 2025 IRP peak forecast after DSR will be available once final DSR is determined

System Level Electric: Forecast of Summer Peak from the 2025 IRP and 2023 EPR

Units: MW Data Sources: Load Forecast models Notes: No new DSR after committed 2 year targets





Conclusion & next steps



Next steps

2025 IRP

EV forecast

- PSE load forecast team to work with Guidehouse to validate updated EV forecast results
- Determine if 2025 IRP Draft electric forecast needs to be updated

Other adjustments to forecasts still to be made

- Adjustments related to PSE electrification efforts
- Update for final 2024-2025 energy efficiency targets

Ongoing	No. of residential gas customers	~820,000
 Gas to electric fuel switching analysis First cut at billing data analysis estimates about 15 to 20% 	Estimated number of residential gas furnaces that turnover annually	~37,000
of customers who needed to replace their gas furnace replaced it with some type of electric heat	Estimated number of customers that replaced their gas heat with electric heat in 2022	~5,700 - 8,400
 Expansion/refinement of billing data analysis Exploration of other sources of information 	Percentage of customers who needed a new heating system switched from gas to electric	~15-23%



Emerging technology assessment overview

Elizabeth Hossner, Manager, Resource Planning and Analysis, PSE

January 12, 2024



Emerging technology overview





Black and Veatch – Technology Assessment Scope

Work in Progress

Offshore Wind

- Modeled in 2023 Progress Report
- Plan to model in 2025 IRP
- B&V assessment not completed yet

Advanced Nuclear SMR

- Modeled in 2023 Progress Report
- Plan to model in 2025 IRP
- B&V assessment not completed yet

Geothermal

- Not modeled in 2023 Progress Report
- B&V assessment not completed yet

Combustion Turbine with Carbon Capture and Sequestration

- Not modeled in 2023 Progress Report
- B&V assessment not completed yet

Ready for Review

Storage

- Modeled in 2023 Progress Report
- Plan to model additional technologies and duration ranges 2025 IRP



Storage

Previously, PSE modeled short duration storage options. Today, PSE see's the growing need to model multiple configurations that are short, medium, and long duration as renewables join the grid. PSE aims to match each duration range with an appropriate storage technology.



2023 Electric Progress Report

- Modeled short and medium duration storage
 - Lithium-ion (2,4,6 hrs)
 - Pumped Hydro (8 hrs)





- Model additional short-medium duration storage as well as long duration storage
 - Metal Air Batteries
 - Sodium-ion Batteries
 - Compressed Air Energy Storage (CAES)
 - Flow Batteries
 - Pumped Hydro
 - Lithium-ion Batteries



Technological Feasibility

Technology Readiness Levels (TRLs)

- Storage options have been broken down by Black & Veatch
- Estimates the maturity of technology through their conceptualization, development, and application stages
- On a scale of one (lowest level of maturity) to nine (highest level of maturity)

• Basic principles observed and reported

Technology concept and/or application formulated



TRL

TRL 2

TRL 4

TRL 5

TRL 6

TRL 7

• Analytical and experimental critical function and/or characteristic proof-of-concept

• Component and/or breadboard validation in a laboratory environment

• Component and/or breadboard validation in a relevant environment

• System/subsystem model or prototype demonstration in a relevant environment

• System prototype demonstration in an operational environment



• Actual system complete and qualified through test and demonstration

TRL 9 • Ac

• Actual system proved through successful mission operations



Storage technology comparisons

Technology		Advantages	Disadvantages	TRL	Previously Modeled
Short Duration	Sodium-ion	 Battery packs have inbuilt heating and insulation systems and can be operated in ambient temp conditions i.e., -4 F to 122 F Ceramic electrolyte used as a solid state ion conductor – no risk of chemical spill or toxic emitters 	 Thermal runaway risk – fire hazard Require high temps to operate 	8-9	No
	Lithium-ion	Most readably available todayReliable with long lifespan and little to no maintenance requiredFast charging	Thermal runaway risk - fire hazardLow energy density	9	Yes
Medium (Mid) Duration	Compressed Air Energy Storage (CAES)	 No battery pack required Little to no metals used Caverns used for CAES systems - less of an eye-sore 	 Limited by availability of caverns and/or size requirements for above-ground storage vessels Diabatic CAES (TRL 9) heats stored air by combusting natural gas, process produces significant emissions 	6-9	No
	Pumped Hydro (PHES)	 Low operating costs and long life Water supply and flood control Limited CO² emissions 	Limited by geography and water supplyHigh start-up costs	8-9	Yes
Long Duration	Metal Air Battery	 Low materials cost Likely to gain good market share in next 5-10 yrs No significant health or safety hazards 	Few technological providers at the momentRequires multiple metals for use	7	No
	Flow Battery	 Power and energy are stored separately enabling independent scaling of components Thus, energy storage can be increased simply by expanding the electrolyte capacity No significant fire hazards 	 Vanadium and Bromide based flow batteries are both corrosive and acidic 	7-9	No



Storage technology configurations





What Energy Storage Technology should we evaluate for each of the three categories? (one from each duration category)





Discussion

- Do you have initial recommendations for the preferred resource in each category?
- Would you replace any?
- If so, with what and why?



Note: Feedback today and/or via the feedback form later is appreciated.



Next steps

Sophie Glass, Triangle Associates



Upcoming activities

Date	Activity
January 17, 2024	RPAG meeting
January 19, 2024	Feedback form for 1/12 meeting closes
January 24, 2024	Feedback form for 1/17 meeting closes



Public comment opportunity

Please raise your "hand" if you would like to provide comment.



Thanks for joining us!



Appendix

- Role of demand forecast in IRP
- Normal temperatures
- Economy
- Electric vehicle policies
- References



Role of demand forecasts in the Integrated Resource Plan

- The 20+ year demand forecasts, before demand-side resources (DSR), are used as an input into the IRP
- DSR is evaluated as a resource in the IRP analysis along with other resources
- The IRP analysis determines resources including:
 - DSR (I.e., utility-sponsored conservation programs, distribution efficiency, and demand response)
 - Changes to codes and standards are developed in the conservation potential assessment and treated as no-cost, must-take conservation in the IRP analysis
 - Distributed generation
 - Potential demand impacts due to policies such as Clean Energy Transformation Act (CETA), Climate Commitment Act (CCA), and Inflation Reduction Act (IRA)
- Therefore, the amount of resources that impact demand will be applied to the demand forecast when IRP analysis is complete



Normal Temperatures: Heating Degree Days (HDD65)



2025 IRP forecast uses climate change normals



Normal Temperatures: Cooling Degree Days (CDD65)



2025 IRP forecast uses climate change normals



Economy: GDP and unemployment forecast vs. 2023 EPR

In the near term, PSE's service area will likely experience a short economic slowdown, but not a full recession. Gas service area economic forecasts are similar to electric service area economic forecasts (shown below).



*Puget Sound Economic Forecaster regional forecast used as a benchmark for shape



Electric Vehicle Forecast: Policies driving adoption

Legislation		Description	Legislature	Effectiv e Date	New as of 2025 IRP?
ZEV	Zero Emission Vehicle Bill	Sets a schedule for increasing the percentage of zero-emission vehicles a vehicle manufacturer delivers for sale	State	2020	Included in 2023 EPR
LCFS	Low Carbon Fuel Standard	Designed to decrease the carbon intensity of transportation fuel pool and provide an increasing range of low-carbon and renewable alternatives	State	2021	Included in 2023 EPR
IIJA/BI L	Infrastructure Investment and Jobs Act/ Bipartisan Infrastructure Law	Makes the largest federal investment in infrastructure	Congress/Federal	2021	~
IRA	Inflation Reduction Act	Is a significant investment in clean energy and transportation technologies and includes an array of supportive electric vehicle (EV) incentives	Congress/Federal	2022	~
АСТ	Advanced Clean Trucks Rule	Accelerates a large-scale transition of zero-emission medium-and heavy-duty vehicles from Class 2b to Class 8	State	2022	~
ICE	Internal Combustion Engine Ban	Increases new zero-emission vehicle sales of passenger cars, light-duty trucks, and medium-duty vehicles to 100 percent starting in 2035	State	2022	~



Demand forecast references

Description of methodology and climate change normal temperatures are included in Electric Progress Report/Gas IRP chapters, and models are described in detail in the appendices.

Electric - 2023 Electric Progress Report

https://www.pse.com/-/media/PDFs/IRP/2023/electric/chapters/06_EPR23_Ch6_Final.pdf?modified=20230331182920 https://www.pse.com/-/media/PDFs/IRP/2023/electric/appendix/15_EPR23_AppF_Final.pdf?modified=20230331195806

Gas – 2023 Gas Utility IRP

https://www.pse.com/-/media/PDFs/IRP/2023/gas/chapters/05_IRP23_Ch5_Final.pdf?modified=20230331212338 https://www.pse.com/-/media/PDFs/IRP/2023/gas/appendix/10_IRP23_AppD_Final.pdf?modified=20230331213553

