

## FSTC Qualified Combination ("Combi") Ovens

(Electric ovens found on page 2)

Company Name	Model Number	Size (Steam Pans)	Fuel Type	Preheat Energy (Btu or kWh)	Convection Mode				Steam Mode			
					Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gal/h)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gal/h)
Alto-Shaam	7.14 ESG	14	Natural Gas	8,100	7,930	49%	133	0.0	9,530	40%	198	4.6
Alto-Shaam	CTC7-20G	16	Natural Gas	6,773	5,517	60%	173	1.3	1,654	52%	161	0.9
Alto-Shaam	CTP10-20G	22	Natural Gas	8,682	6,964	61%	225	7.7	3,298	51%	261	6.6
Alto-Shaam	CTP20-20G	40	Natural Gas	16,117	12,193	63%	402	0.4	2,537	50%	325	9.1
Alto-Shaam	CTP7-20G	14	Natural Gas	6,767	5,950	59%	142	10.6	5,456	47%	250	12.2
Angelo Po	FX122G**	24	Natural Gas	9,304	7,693	63%	216	1.8	8,696	55%	223	2.6
Angelo Po	FX202G3**	40	Natural Gas	21,330	11,087	63%	369	2.5	13,236	59%	501	5.8
Angelo Po	FX82G3**	16	Natural Gas	7,387	6,550	60%	145	2.0	7,334	54%	191	3.7
BKI	AETG102R	20	Natural Gas	10,670	6,706	64%	168	-	5,324	45%	170	-
Blodgett	BLC*-102G	20	Natural Gas	7,042	6,717	60%	181	0.0	17,254	42%	148	19.1
Blodgett	BLC*-62G	10	Natural Gas	6,621	4,212	59%	114	0.0	13,431	50%	144	10.0
Convotherm	C4e* 10.20GS	22	Natural Gas	7,559	7,127	63%	227	0.0	7,066	58%	299	1.7
Convotherm	C4e* 20.20GB	40	Natural Gas	13,996	10,270	61%	391	3.3	11,927	48%	352	9.6
Convotherm	C4e* 6.20GB	14	Natural Gas	5,187	5,438	62%	132	0.0	7,439	51%	167	4.3
Convotherm	C4e* 6.20GS	14	Natural Gas	4,977	5,101	62%	141	0.0	5,003	58%	204	2.5
Convotherm	OGB-6.20	14	Natural Gas	6,509	5,144	60%	150	19.1	12,123	44%	198	10.8
Convotherm	OGS-10.20	22	Natural Gas	8,540	7,100	61%	210	0.0	7,370	47%	277	0.9
Convotherm	OGS-20.20	40	Natural Gas	17,901	6,703	61%	415	42.3	10,604	57%	649	14.8
Convotherm	OGS-6.20	14	Natural Gas	5,140	4,801	59%	133	0.0	5,099	57%	187	2.2
Electrolux	Air-O-Convect AOS062GCP1	12	Natural Gas	4,356	7,175	55%	132	0.0	11,752	48%	160	2.9
Electrolux	COG12T30	10	Natural Gas	N/A	6,154	58%	190.87	0.0	9,888	47%	319	5.5
Electrolux	COG61T30	6	Natural Gas	N/A	3,158	59%	62.95	0.0	50,380	43%	126	2.3
Electrolux	COG62T30	6	Natural Gas	N/A	4,480	60%	120.12	0.0	7,828	43%	214	3.8
Eloma	Genius *T10-11	10	Natural Gas	5,396	8,000	60%	103	0.0	13,317	51%	189	4.2
Eloma	Genius *T6-11	6	Natural Gas	3,763	5,077	57%	66	0.0	9,515	48%	119	2.9
Henny Penny	FPG115	10	Natural Gas	4,960	3,755	61%	104	0.0	8,081	53%	168	9.2
Henny Penny	GCC615	6	Natural Gas	3,655	4,481	52%	60	0.0	7,455	44%	78	7.3
Henny Penny	GSC115	10	Natural Gas	5,234	5,531	57%	90	0.0	8,467	46%	140	6.1
Lainox	NAGB071	7	Natural Gas	3,750	4,650	56%	63	2.6	7,531	43%	107	4.7
Lainox	NAGB072	14	Natural Gas	6,538	5,932	56%	135	3.8	7,224	46%	211	6.2
Lainox	NAGB101	10	Natural Gas	5,440	5,387	58%	95	0.0	6,748	44%	158	8.3
Lainox	NAGB102	20	Natural Gas	N/A	6,585	62%	193.1	9.4	6,485	48%	265	8.4
Lainox	NAGB201	20	Natural Gas	10,516	7,784	60%	220	12.9	6,119	44%	297	12.3
Lainox	NAGB202	40	Natural Gas	13,709	10,921	61%	403	13.4	8,683	55%	526	12.3
Lainox	NAGV071	7	Natural Gas	3,750	4,650	57%	64	2.3	4,861	50%	93	1
Lainox	NAGV072	14	Natural Gas	6,538	5,932	56%	135	3.8	7,556	50%	156	3.5
Lainox	NAGV101	10	Natural Gas	5,440	5,387	59%	95	0.0	6,421	46%	107	6.0
Lainox	NAGV102	20	Natural Gas	N/A	6,585	62%	193.1	9.4	7,761	55%	180	4.7
Lainox	NAGV201	20	Natural Gas	10,516	7,784	60%	220	12.9	7,833	54%	285	8.3
Lainox	NAGV202	40	Natural Gas	13,709	10,921	31%	403	13.4	11,729	56%	421	3.1
Lang	CPE 2.10G	20	Natural Gas	7,042	6,717	60%	181	0.0	17,254	42%	148	19.1

## FSTC Qualified Combination ("Combi") Ovens

(Electric ovens found on page 2)

Company Name	Model Number	Size (Steam Pans)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gal/h)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gal/h)
Piper	HMG072X	14	Natural Gas	6,093	6,456	54%	124	16.2	14,905	46%	211	19.4
Rational	B1182*	10	Natural Gas	9,908	4,365	62%	106	-	5,743	44%	251	-
Rational	B1282*	20	Natural Gas	8,130	5,340	57%	189	0.3	7,380	43%	313	17.3
Rational	B2282*	40	Natural Gas	12,556	9,403	56%	373	12.1	14,447	56%	630	32.6
Rational	B6182*	6	Natural Gas	3,170	3,735	57%	64	3.5	8,430	45%	119	12.0
Rational	B6282*	12	Natural Gas	4,952	3,558	58%	126	9.2	7,769	54%	232	12.0
Rational	CMP 61 G	6	Natural Gas	N/A	3,290	64%	55.82	0.0	4,570	47%	114	0.4
Rational	CMP 62 G	12	Natural Gas	N/A	3,990	67%	119.45	0.0	5,302	53%	217	0.55
Rational	SCC WE 101G	10	Natural Gas	N/A	4,431	65%	95	0.0	7,690	49%	186	0.23
Rational	SCC WE 102G	20	Natural Gas	N/A	5,172	63%	188.36	0.0	8,008	50%	303	0.35
Rational	SCC WE 201G	20	Natural Gas	N/A	7,834	61%	186.75	0.0	9,002	52%	354	0.48
Rational	SCC WE 202G	40	Natural Gas	N/A	8,251	57%	374.7	0.0	10,084	57%	662	0.56
Rational	SCC WE 61G	6	Natural Gas	N/A	3,392	61%	55.82	0.0	4,174	43%	114	0.17
Rational	SCC WE 62G	12	Natural Gas	N/A	3,317	62%	119.45	0.0	5,070	48%	217	0.18
Rational	SCC102G	20	Natural Gas	7,347	8,152	55%	184	21.0	11,979	45%	281	39.6
Rational	SCC61G	6	Natural Gas	3,855	5,269	51%	66	8.3	12,035	48%	94	8.2
Rational	SCCWE101NG	10	Natural Gas	9,908	4,365	62%	106	-	5,743	44%	251	-
Rational	SCCWE102NG	20	Natural Gas	8,130	5,340	57%	189	0.3	7,380	43%	313	17.3
Rational	SCCWE202NG	40	Natural Gas	12,556	9,403	56%	373	12.1	14,447	56%	630	32.6
Rational	SCCWE61NG	6	Natural Gas	3,170	3,735	57%	64	3.5	8,430	45%	119	12.0
Rational	SCCWE62NG	12	Natural Gas	4,952	3,558	58%	126	9.2	7,769	54%	232	12.0
UNOX	XAVC-06-FS-GP*	12	Natural Gas	5,911	4,918	60%	117	0.0	8,506	48%	181	4.7
UNOX	XAVC-06FS-GPa-xx	12	Natural Gas	N/A	2,330	57%	52.38	0.0	3,869	48%	77	4.3
UNOX	XAVC-1011-GP*.*	10	Natural Gas	N/A	2,825	59%	94.8		3,190	57%	145	2.07
UNOX	XAVC-10FS-GPa-xx	20	Natural Gas	N/A	4,051	63%	188.6	0.0	4,765	49%	260	12.7
<del>UNOX</del>	<del>XAVC-10FS-GPR</del>	<del>20</del>	<del>Natural Gas</del>	<del>7,975</del>	<del>4,051</del>	<del>63%</del>	<del>189</del>	<del>0.0</del>	<del>4,765</del>	<del>49%</del>	<del>260</del>	<del>12.7</del>
UNOX	XAVC-16FS-GPx	32	Natural Gas	N/A	9,379	59%	291.72	0.0	8,361	49%	400	8.93
AccuTemp	T0621IE	12	Electricity	1	1.1	80%	118	0.0	1.25	68%	170	3.9
Alto-Shaam	7.14 ESI	14	Electricity	1.09	1.42	78%	136	1.1	0.92	59%	109	5.4
Alto-Shaam	7.14ES	14	Electricity	1.22	1.56	79%	141	0.0	2.13	61%	204	9.4
Alto-Shaam	CTP7-20E	14	Electricity	1.26	1.51	80%	140	0.8	1.18	59%	171	1.5
<del>Angelo-Pe</del>	<del>FX122E3T</del>	<del>24</del>	<del>Electricity</del>	<del>0.98</del>	<del>2.12</del>	<del>82%</del>	<del>227</del>	<del>1.6</del>	<del>3.10</del>	<del>68%</del>	<del>290</del>	<del>3.4</del>
Angelo Po	FX202E3**	40	Electricity	3.75	3.34	82%	431	1.2	5.43	67%	524	5.3
Angelo Po	FX82E3**	16	Electricity	1.32	1.69	80%	149	1.2	2.57	66%	186	2.8
BKI	ETE102R	20	Electricity	1.4	1.69	84%	206	0.0	5.31	68%	296	13.9
BKI	HE061	6	Electricity	0.93	1.08	73%	61	0.0	0.98	51%	54	10.8
BKI	HE062R	12	Electricity	1.08	1.28	76%	99	0.0	1.13	66%	126	9.1
BKI	HE101	10	Electricity	0.98	1.30	76%	111	0.0	1.15	70%	109	11.7
BKI	HE102	20	Electricity	1.43	1.69	81%	200	0.0	1.81	68%	220	12.9
BKI	TE102R	20	Electricity	1.40	1.69	84%	206	0.0	5.31	68%	296	13.9
Blodgett	BLC*-10E	6	Electricity	0.54	0.74	78%	62	0.0	1.59	66%	100	4.5
Blodgett	BLC*-6E	4	Electricity	0.46	0.68	73%	44	0.0	1.23	61%	66	5.1
Convotherm	C4e* 10.10ES	10	Electricity	0.97	1.19	78%	104	0.0	0.71	72%	101	0.5

## FSTC Qualified Combination ("Combi") Ovens

(Electric ovens found on page 2)

Company Name	Model Number	Size (Steam Pans)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gal/h)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gal/h)
Convotherm	C4e* 10.20EB	22	Electricity	1.53	1.74	81%	216	0.0	2.52	64%	348	10.6
Convotherm	C4e* 10.20ES	22	Electricity	1.49	1.68	83%	232	0.1	1.56	76%	337	2.7
Convotherm	C4e* 6.20EB	14	Electricity	1.46	1.42	80%	145	0.0	1.85	61%	213	8.1
Convotherm	C4e* 6.20ES	14	Electricity	1.05	1.36	81%	139	0.0	1.44	70%	183	0.2
Convotherm	OES-10.10 Mini	5	Electricity	0.54	0.73	75%	50	3.9	1.19	65%	80	2.6
Convotherm	OES-10.20	20	Electricity	2.30	1.70	80%	200	29.0	2.60	64%	332	2.2
Convotherm	OES-6.10 Mini	4	Electricity	0.44	0.61	81%	44	0.0	0.89	69%	61	0.4
Convotherm	OES-6.20	14	Electricity	0.89	1.59	83%	151	8.9	2.03	59%	226	2.9
Electrolux	COE11T30	10	Electricity	N/A	0.97	79%	99.64	0.0	0.95	59%	188	3.7
Electrolux	COE12T30	10	Electricity	N/A	1.32	85%	188.26	0.0	1.94	63%	401	7.5
Electrolux	COE61T30	6	Electricity	N/A	0.74	78%	65.93	0.0	0.9	57%	97	2
Electrolux	COE62T30	6	Electricity	N/A	1.12	86%	118.04	0.0	1.42	61%	239	4.4
Eloma	Genius *T12-21E	24	Electricity	2.61	2.01	78%	203	0.0	3.55	67%	313	6.5
Eloma	Genius *T20-21	40	Electricity	3.93	3.73	76%	314	19.5	8.80	61%	478	16.0
Henny Penny	ESC610	6	Electricity	0.60	0.59	78%	57	0.0	1.35	63%	78	5.1
Henny Penny	FPE115	10	Electricity	1.10	0.90	79%	102	0.0	3.56	58%	174	12.5
Henny Penny	FPE121	20	Electricity	N/A	1.11	85%	197.71	0.0	2.13	68%	253	4.58
Henny Penny	FPE215	20	Electricity	N/A	1.81	78%	184.68	0.0	3.24	60%	336	6.71
Henny Penny	FPE615	6	Electricity	0.83	0.75	75%	64	0.0	1.50	53%	103	10.5
Henny Penny	FPE621	12	Electricity	N/A	0.89	85%	123.59	0.0	2.04	59%	180	4.46
Henny Penny	FSE610	6	Electricity	N/A	0.63	81%	56	0.0	1.09	62%	96	1.94
Hobart	CE10FD-1	20	Electricity	1.56	2.43	71%	166	0.0	3.12	66%	182	3.0
Hobart	CE20FD*	40	Electricity	2.10	4.00	75%	273	5.8	5.60	57%	244	7.9
Lainox	NAEB071	7	Electricity	0.79	1.03	78%	84	0.0	1.46	62%	107	3.0
Lainox	NAEB072	14	Electricity	1.25	1.60	81%	139	0.0	1.96	67%	196	10.5
Lainox	NAEB101	10	Electricity	1.13	1.21	82%	110	3.3	1.63	63%	175	4.9
Lainox	NAEB102	20	Electricity	1.56	1.88	83%	194	0.0	2.34	65%	366	17.2
Lainox	NAEB201	20	Electricity	N/A	1.97	78%	233.8	0.0	3.02	61%	331	5.27
Lainox	NAEV071	7	Electricity	0.79	1.03	78%	84	0.0	1.42	66%	92	0.2
Lainox	NAEV072	14	Electricity	1.56	1.27	81%	138	14.1	1.13	70%	128	3.4
Lainox	NAEV101	10	Electricity	1.13	1.21	82%	110	3.3	1.22	66%	98	1.3
Lainox	NAEV102	20	Electricity	1.56	1.76	84%	196	8.8	1.93	72%	186	2.1
Lainox	NAEV201	20	Electricity	N/A	1.97	78%	233.8	0.0	2.41	62%	125	3.39
MKN Maschinenfabrik Kurt Neubauer GmbH & Co.KG	FKECOD115T	10	Electricity	N/A	1.06	81%	99.49	0.0	1.64	56%	138	3.14
MKN Maschinenfabrik Kurt Neubauer GmbH & Co.KG	FKECOD121T	20	Electricity	N/A	1.11	85%	197.71	0.0	2.13	68%	253	4.58
MKN Maschinenfabrik Kurt Neubauer GmbH & Co.KG	FKECOD215T	20	Electricity	N/A	1.81	78%	184.68	0.0	3.24	60%	336	6.71
MKN Maschinenfabrik Kurt Neubauer GmbH & Co.KG	FKECOD615T	6	Electricity	N/A	0.87	77%	63.7	0.0	1.3	58%	93	2.57
MKN Maschinenfabrik Kurt Neubauer GmbH & Co.KG	FKECOD621T	12	Electricity	N/A	0.89	85%	123.59	0.0	2.04	59%	180	4.46

## FSTC Qualified Combination ("Combi") Ovens

(Electric ovens found on page 2)

Company Name	Model Number	Size (Steam Pans)	Fuel Type	Preheat Energy (Btu or kWh)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gal/h)	Idle Energy Rate (Btu/h or kW)	Energy Efficiency (%)	Production Capacity (lbs/h)	Cooking Water Use (gal/h)
MKN Maschinenfabrik Kurt Neubauer GmbH & Co.KG	SKECOD610T	6	Electricity	N/A	0.63	81%	56	0.0	1.09	62%	96	1.94
Moffat	EC40D5	5	Electricity	0.43	1.01	71%	48	0.0	2.21	60%	71	1.0
Moffat	EC40M5	5	Electricity	0.43	1.01	71%	48	0.0	2.21	60%	71	1.0
Piper	HME061	6	Electricity	0.56	1.13	76%	69	0.0	1.69	58%	88	3.0
Rational	A1191*	10	Electricity	0.86	1.13	79%	106	3.1	2.19	60%	201	9.6
Rational	A6191*	6	Electricity	0.67	0.92	76%	63	2.5	1.69	58%	111	9.0
Rational	B6181*	6	Electricity	0.63	0.99	76%	64	10.9	1.88	57%	115	9.5
Rational	B6281*	12	Electricity	0.96	1.32	79%	128	11.8	2.00	63%	202	6.7
Rational	CMP 62 E	12	Electricity	N/A	1.31	80%	121.03	0.0	1.19	58%	210	0.37
Rational	CMP101E	10	Electricity	0.86	1.13	79%	106	3.1	2.19	60%	201	9.6
Rational	CMP61E	6	Electricity	0.67	0.92	76%	63	2.5	1.69	58%	111	9.0
Rational	SCC WE 101	10	Electricity	N/A	1.15	77%	108.38	0.0	1.18	58%	145	0.9
Rational	SCC WE 102	20	Electricity	N/A	1.48	81%	207.68	0.0	2.27	61%	289	0.85
Rational	SCC WE 201	20	Electricity	N/A	2.1	77%	212.88	0.0	2.78	55%	267	1.05
Rational	SCC WE 61	6	Electricity	N/A	0.84	76%	63.56	0.0	0.98	58%	87	0.24
Rational	SCC WE 62	12	Electricity	N/A	1.31	78%	121.01	0.0	0.88	76%	210	0.37
Rational	SCC102E	20	Electricity	1.58	2.00	79%	189	-	3.30	61%	367	-
Rational	SCCWE61E	6	Electricity	0.63	0.99	76%	64	10.9	1.88	57%	115	9.5
Rational	SCCWE62E	12	Electricity	0.96	1.32	79%	128	11.8	2.00	63%	202	6.7
Retigo s.r.o.	B 1011 i	10	Electricity	N/A	1.01	81%	96.6	0.0	1.13	68%	179	0.2
UNOX	XACC-0513-EP*-*	5	Electricity	N/A	0.75	78%	51.97	0.0	1.18	68%	60	1.16
UNOX	XAVC-0511-EPa-xx	5	Electricity	N/A	0.81	76%	46.08	0.0	0.76	63%	59	2.93
UNOX	XAVC-06FS-EPa-xx	12	Electricity	N/A	1.13	79%	116.6	0.2	1.33	65%	179	6.8
UNOX	XAVC-06FS-EPR	12	Electricity	0.95	1.13	78%	117	0.2	1.33	64%	179	6.8
UNOX	XAVC-1011-EPx	10	Electricity	N/A	1.25	79%	87.39	0.0	1.11	63%	108	2.92
UNOX	XAVC-10FS-EPa-xx	20	Electricity	N/A	1.57	83%	191.7	0.0	1.65	63%	287	14.4
UNOX	XAVC-10FS-EPR	20	Electricity	1.54	1.57	83%	192	0.0	1.65	63%	287	13.0
UNOX	XEVC-0511-EP*-*	5	Electricity	N/A	0.73	81%	49.7	0.0	0.66	65%	65	1.2
UNOX	XEVC-0711-EP*-*	7	Electricity	N/A	1	78%	65.42	0.0	1.56	68%	117	1.56
UNOX	XEVC-1011-EP*-*	10	Electricity	N/A	1.08	78%	101.7	0.0	1.14	71%	159	2.88