

### ENERGY STAR Certified Dishwashers

**\*\*City of Seattle not qualified for PSE / SCL / SWP dishwasher incentive due to Seattle City Code\*\***

| Brand Name          | Model Name    | Model Number  | Additional Model                 | Type                        | Sanitization Method                      | Idle Energy Rate for | Idle Energy Rate | Water Use |
|---------------------|---------------|---------------|----------------------------------|-----------------------------|--|----------------------|------------------|-----------|
| ADS                 | 5AGES         | 5AGES         |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 0.89      |
| ADS                 | ADC-44        | ADC-44        |                                  | Multiple Tank Rack Conveyor | Dual Sanitizing Machine                  | 0.72                 | 1.65             | 0.53      |
| ADS                 | ADC-66        | ADC-66        |                                  | Multiple Tank Rack Conveyor | Dual Sanitizing Machine                  | 0.72                 | 1.65             | 0.53      |
| ADS                 | AFC-ES        | AFC-ES        |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 0.93      |
| ADS                 | AF-ES         | AF-ES         |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 0.93      |
| ADS                 | HT-25         | HT-25         |                                  | Stationary Single Tank Door | Dual Sanitizing Machine                  | 0.37                 | 0.63             | 0.65      |
| Auto-Chlor          | A4            | A4            |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 1.04      |
| Auto-Chlor          | A4IW          | A4IW          |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 1.04      |
| Auto-Chlor          | A4V           | A4V           |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 1.04      |
| Auto-Chlor          | A5            | A5            |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 1.04      |
| Auto-Chlor          | A5IW          | A5IW          |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 1.04      |
| Auto-Chlor          | A5V           | A5V           |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 1.04      |
| Auto-Chlor          | A6            | A6            | ,A6V,                            | Stationary Single Tank Door | Dual Sanitizing Machine                  | 0.37                 | 0.69             | 0.48      |
| Auto-Chlor          | AC            | AC            |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           | 0.22                 |                  | 1.04      |
| Auto-Chlor          | D2            | D2            |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 0.97      |
| Auto-Chlor          | D2CL          | D2CL          |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 0.97      |
| Auto-Chlor          | D2CLV         | D2CLV         |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 0.97      |
| Auto-Chlor          | D2CR          | D2CR          |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 0.97      |
| Auto-Chlor          | D2CRV         | D2CRV         |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 0.97      |
| Auto-Chlor          | D2V           | D2V           |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 0.97      |
| Auto-Chlor          | U34           | U34           |                                  | Under Counter               | Chemical Sanitizing (Low Temp)           | 0.22                 |                  | 1.04      |
| Auto-Chlor          | U34B          | U34B          |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           | 0.22                 |                  | 1.04      |
| Auto-Chlor          | U34PT-10      | U34PT-10      |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           | 0.22                 |                  | 1.04      |
| Champion            |               | 84            | 106 PW,,; 110 FFPW,,; 120 HDPW,, | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) Machine |                      | 2.14             | 0.34      |
| Champion            | DL2000        | DL2000        |                                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 1.01      |
| Champion            | UH230B        | UH230B        |                                  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.36             | 0.8       |
| Champion Industries | UH330B        | UH330B        |                                  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.46             | 0.76      |
| Champion Industries |               | 64            | 64                               | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp)         |                      | 1.84             | 0.45      |
| Champion Industries | 100HDPW       | 100HDPW       |                                  | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp)         |                      | 1.84             | 0.45      |
| Champion Industries | 44DR          | 44DR          |                                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)         |                      | 1.05             | 0.53      |
| Champion Industries | 66DRPW        | 66DRPW        |                                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)         |                      | 1.05             | 0.53      |
| Champion Industries | 70DRFFPW      | 70DRFFPW      |                                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)         |                      | 1.05             | 0.53      |
| Champion Industries | 86PW          | 86PW          |                                  | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp)         |                      | 1.84             | 0.45      |
| Champion Industries | 90FFPW        | 90FFPW        |                                  | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp)         |                      | 1.84             | 0.45      |
| Champion Industries | CH44          | CH44          |                                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)         |                      | 0.96             | 0.59      |
| Champion Industries | CH66          | CH66          |                                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)         |                      | 0.96             | 0.59      |
| Champion Industries | DH2000        | DH2000        |                                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.47             | 0.9       |
| CMA Dishmachines    | CMA 180VL-FL  | CMA 180VL-FL  |                                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.5              | 0.82      |
| CMA Dishmachines    | CMA-180 HTC   | CMA-180 HTC   |                                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.5              | 0.82      |
| CMA Dishmachines    | CMA-180 HTCB  | CMA-180 HTCB  |                                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.5              | 0.82      |
| CMA Dishmachines    | CMA-180 HTS   | CMA-180 HTS   |                                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.5              | 0.82      |
| CMA Dishmachines    | CMA-180 HTSB  | CMA-180 HTSB  |                                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.5              | 0.82      |
| CMA Dishmachines    | CMA-180 THTC  | CMA-180 THTC  |                                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.5              | 0.82      |
| CMA Dishmachines    | CMA-180 THTCB | CMA-180 THTCB |                                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.5              | 0.82      |
| CMA Dishmachines    | CMA-180 THTS  | CMA-180 THTS  |                                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.5              | 0.82      |
| CMA Dishmachines    | CMA-180 THTSB | CMA-180 THTSB |                                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.5              | 0.82      |
| CMA Dishmachines    | CMA-180-T-VL  | CMA-180-T-VL  |                                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.5              | 0.82      |
| CMA Dishmachines    | CMA-180UC     | CMA-180UC     |                                  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.4              | 0.73      |
| CMA Dishmachines    | CMA-180-VL    | CMA-180-VL    |                                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.5              | 0.82      |
| CMA Dishmachines    | CMA-181GW     | CMA-181GW     |                                  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.4              | 0.73      |
| CMA Dishmachines    | CMA-181-VL    | CMA-181-VL    |                                  | Under Counter - Glasswasher | Hot Water Sanitizing (High Temp)         |                      | 0.32             | 0.73      |
| CMA Dishmachines    | EST-44H       | EST-44H       |                                  | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp)         |                      | 1.76             | 0.46      |
| CMA Dishmachines    | EST-44L       | EST-44L       |                                  | Multiple Tank Rack Conveyor | Chemical Sanitizing (Low Temp)           |                      |                  | 0.46      |
| CMA Dishmachines    | EST-66H       | EST-66H       |                                  | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp)         |                      | 1.76             | 0.46      |

### ENERGY STAR Certified Dishwashers

**\*\*City of Seattle not qualified for PSE / SCL / SWP dishwasher incentive due to Seattle City Code\*\***

| Brand Name                   | Model Name             | Model Number           | Additional Model                            | Type                        | Sanitization Method                         | Idle Energy Rate for | Idle Energy Rate | Water Use |
|------------------------------|------------------------|------------------------|---|-----------------------------|---|----------------------|------------------|-----------|
| CMA Dishmachines             | EST-66L                | EST-66L                |   | Multiple Tank Rack Conveyor | Chemical Sanitizing (Low Temp)              |                      |                  | 0.46      |
| CMA Dishmachines             | EST-AH-1               | EST-AH-1               |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              |                      |                  | 1.09      |
| CMA Dishmachines             | EST-AH-2               | EST-AH-2               |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              |                      |                  | 1.09      |
| CMA Dishmachines             | EST-AH-3               | EST-AH-3               |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              |                      |                  | 1.09      |
| CMA Dishmachines             | EST-C-1                | EST-C-1                |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              |                      |                  | 1.09      |
| CMA Dishmachines             | EST-C-2                | EST-C-2                |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              |                      |                  | 1.09      |
| CMA Dishmachines             | EST-C-3                | EST-C-3                |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              |                      |                  | 1.09      |
| CMA Dishmachines             | EST-FL                 | EST-FL                 |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              | 0                    |                  | 1.09      |
| CMA Dishmachines             | EST-VL                 | EST-VL                 |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              | 0                    |                  | 1.09      |
| CMA Dishmachines             | UC50E                  | UC50E                  |   | Under Counter               | Hot Water Sanitizing (High Temp)            |                      | 0.42             | 0.79      |
| CMA Dishmachines             | UC60E                  | UC60E                  |   | Under Counter               | Hot Water Sanitizing (High Temp)            |                      | 0.37             | 0.79      |
| CMA Dishmachines             | UC65e                  | UC65e                  |   | Under Counter               | Hot Water Sanitizing (High Temp)            |                      | 0.37             | 0.84      |
| Dihl                         | DS50 USA               | DS50 USA               |   | Under Counter               | Hot Water Sanitizing (High Temp)            |                      | 0.42             | 0.79      |
| Dihl                         | ELECTRON 500 PLUS USA  | ELECTRON 500 PLUS USA  |   | Under Counter               | Hot Water Sanitizing (High Temp)            |                      | 0.37             | 0.79      |
| Ecolab                       | Apex TSC               | Apex TSC               |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              | 0.01                 |                  | 1.05      |
| Ecolab                       | Apex TSC Double        | Apex TSC Double        |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              | 0.01                 |                  | 1.11      |
| Ecolab                       | Apex-HT                | Apex-HT                |   | Stationary Single Tank Door | Dual Sanitizing Machine                     | 0.27                 | 0.53             | 0.81      |
| Ecolab                       | E-HT                   | E-HT                   | ,E-HT-V,                                    | Stationary Single Tank Door | Dual Sanitizing Machine                     | 0.25                 | 0.53             | 0.44      |
| Ecolab                       | ES-2000                | ES-2000                |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              | 0.01                 |                  | 1.05      |
| Ecolab                       | ES-4000                | ES-4000                |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              | 0.01                 |                  | 1.11      |
| Ecolab                       | Kay QSR TSC            | Kay QSR TSC            |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              | 0.01                 |                  | 1.05      |
| Ecolab                       | LWC44AR208             | LWC44AR208             | ,LWC44AL208;;<br>,LWC44AL240;; ,LWC44AR240, | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)<br>Machine |                      | 0.98             | 0.58      |
| Ecolab                       | LWC44AR208             | LWC44AR208             | ,LWC44AL208;;<br>,LWC44AL240;; ,LWC44AR240, | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)<br>Machine |                      | 0.98             | 0.58      |
| Ecolab                       | LWC66AR208             | LWC66AR208             | ,LWC66AL208;;<br>,LWC66AL240;; ,LWC66AR240, | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)<br>Machine |                      | 1.21             | 0.59      |
| Ecolab                       | LWC66AR208             | LWC66AR208             | ,LWC66AL208;;<br>,LWC66AL240;; ,LWC66AR240, | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)<br>Machine |                      | 1.21             | 0.59      |
| Ecolab                       | Omega 5E               | Omega 5E               |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              | 0.2                  |                  | 1.16      |
| Ecolab                       | PA-1                   | PA-1                   |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              | 0.01                 |                  | 1.05      |
| Ecolab                       | PA-2                   | PA-2                   |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              | 0.01                 |                  | 1.11      |
| Ecolab                       | U-HT-1                 | U-HT-1                 |   | Under Counter               | Hot Water Sanitizing (High Temp)            |                      | 0.36             | 0.8       |
| Ecolab                       | XL-HT                  | XL-HT                  |   | Stationary Single Tank Door | Dual Sanitizing Machine                     | 0.27                 | 0.53             | 0.81      |
| Electrolux                   | ECRT44R208, ECRT44L208 | ECRT44R208, ECRT44L208 |   | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)            |                      | 0.99             | 0.41      |
| Electrolux                   | ECRT44R240, ECRT44L240 | ECRT44R240, ECRT44L240 |   | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)            |                      | 1.07             | 0.42      |
| Electrolux                   | ECRT66R208, ECRT66L208 | ECRT66R208, ECRT66L208 |   | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)            |                      | 1.08             | 0.45      |
| Electrolux                   | ECRT66R240, ECRT66L240 | ECRT66R240, ECRT66L240 |   | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)            |                      | 1.34             | 0.44      |
| Electrolux                   | EHT8ILG4               | EHT8ILG4               |   | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)            |                      | 0.48             | 0.51      |
| Electrolux                   | EHT8TIELG4, EHT8IELG4  | EHT8TIELG4, EHT8IELG4  |   | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)            |                      | 0.43             | 0.49      |
| Electrolux                   | EHT8TIELG8, EHT8IELG8  | EHT8TIELG8, EHT8IELG8  |   | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)            |                      | 0.46             | 0.51      |
| Electrolux, Veetsan          | EUC3IG4                | EUC3IG4                | ,VDU30G4,                                   | Under Counter               | Hot Water Sanitizing (High Temp)            |                      | 0.29             | 0.84      |
| Electrolux, Veetsan, Veetsan | EHT8ILG8               | EHT8ILG8               | ,VDH63,                                     | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)            |                      | 0.39             | 0.54      |
| Electrolux, Veetsan, Veetsan | EUC3IG8                | EUC3IG8                | ,VDU30,                                     | Under Counter               | Hot Water Sanitizing (High Temp)            |                      | 0.28             | 0.82      |
| Energy Mizer                 | B-1                    | B-1                    |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              |                      |                  | 0.97      |
| Energy Mizer                 | B-2                    | B-2                    |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              |                      |                  | 0.97      |
| Energy Mizer                 | B-3                    | B-3                    |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              |                      |                  | 0.97      |
| Energy Mizer                 | CB-1                   | CB-1                   |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              |                      |                  | 0.97      |
| Energy Mizer                 | CB-2                   | CB-2                   |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)              |                      |                  | 0.97      |

### ENERGY STAR Certified Dishwashers

**\*\*City of Seattle not qualified for PSE / SCL / SWP dishwasher incentive due to Seattle City Code\*\***

| Brand Name   | Model Name  | Model Number | Additional Model | Type                        | Sanitization Method              | Idle Energy Rate for | Idle Energy Rate | Water Use |
|--------------|-------------|--------------|------------------|-----------------------------|----------------------------------|----------------------|------------------|-----------|
| Energy Miser | CB-3        | CB-3         |                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)   |                      |                  | 0.97      |
| Energy Miser | EAH-1       | EAH-1        |                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)   |                      |                  | 1.01      |
| Energy Miser | EAH-2       | EAH-2        |                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)   |                      |                  | 1.01      |
| Energy Miser | EAH-3       | EAH-3        |                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)   |                      |                  | 1.01      |
| Energy Miser | EC-1        | EC-1         |                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)   |                      |                  | 1.01      |
| Energy Miser | EC-2        | EC-2         |                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)   |                      |                  | 1.01      |
| Energy Miser | EC-3        | EC-3         |                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)   |                      |                  | 1.01      |
| Fagor        | CO-502W     | CO-502W      |                  | Under Counter               | Hot Water Sanitizing (High Temp) |                      | 0.37             | 0.28      |
| Fagor        | COP-174W    | COP-174W     |                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) |                      | 0.56             | 0.73      |
| Fagor        | COP-504W    | COP-504W     |                  | Under Counter               | Hot Water Sanitizing (High Temp) |                      | 0.38             | 0.55      |
| Genesis      | DH5000      | DH5000       |                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) |                      | 0.57             | 0.84      |
| Hobart       | AM15        | AM15         |                  | Stationary Single Tank Door | Dual Sanitizing Machine          | 0.28                 | 0.55             | 0.73      |
| Hobart       | AM15F       | AM15F        |                  | Stationary Single Tank Door | Dual Sanitizing Machine          | 0.28                 | 0.55             | 0.73      |
| Hobart       | AM15SCB     | AM15SCB      |                  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)   | 0.27                 |                  | 0.73      |
| Hobart       | AM15SVL     | AM15SVL      |                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) |                      | 0.54             | 0.73      |
| Hobart       | AM15SVLT    | AM15SVLT     |                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) |                      | 0.54             | 0.73      |
| Hobart       | AM15T       | AM15T        |                  | Stationary Single Tank Door | Dual Sanitizing Machine          | 0.28                 | 0.55             | 0.73      |
| Hobart       | AM15VL      | AM15VL       |                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) |                      | 0.54             | 0.73      |
| Hobart       | AM15VLF     | AM15VLF      |                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) |                      | 0.54             | 0.73      |
| Hobart       | AM15VLT     | AM15VLT      |                  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) |                      | 0.54             | 0.73      |
| Hobart       | CL44e       | CL44e        |                  | Single Tank Rack Conveyor   | Dual Sanitizing Machine          | 0.75                 | 1.29             | 0.62      |
| Hobart       | CL44eN      | CL44eN       |                  | Single Tank Rack Conveyor   | Dual Sanitizing Machine          | 0.75                 | 1.29             | 0.62      |
| Hobart       | CL44eNADV   | CL44eNADV    |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.29             | 0.62      |
| Hobart       | CL44eNER    | CL44eNER     |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.29             | 0.62      |
| Hobart       | CL44eR      | CL44eR       |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.33             | 0.63      |
| Hobart       | CL54e       | CL54e        |                  | Single Tank Rack Conveyor   | Dual Sanitizing Machine          | 0.75                 | 1.29             | 0.56      |
| Hobart       | CL54eN      | CL54eN       |                  | Single Tank Rack Conveyor   | Dual Sanitizing Machine          | 0.75                 | 1.29             | 0.56      |
| Hobart       | CL54eNADV   | CL54eNADV    |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.29             | 0.56      |
| Hobart       | CL54eNER    | CL54eNER     |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.29             | 0.56      |
| Hobart       | CL54eR      | CL54eR       |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.33             | 0.63      |
| Hobart       | CL64e       | CL64e        |                  | Multiple Tank Rack Conveyor | Dual Sanitizing Machine          | 0.93                 | 1.74             | 0.39      |
| Hobart       | CL64eN      | CL64eN       |                  | Multiple Tank Rack Conveyor | Dual Sanitizing Machine          | 0.93                 | 1.74             | 0.39      |
| Hobart       | CL64eNADV   | CL64eNADV    |                  | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) |                      | 1.74             | 0.39      |
| Hobart       | CL64eNER    | CL64eNER     |                  | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) |                      | 1.74             | 0.39      |
| Hobart       | CL64eR      | CL64eR       |                  | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) |                      | 1.74             | 0.39      |
| Hobart       | CLCS66eN    | CLCS66eN     |                  | Single Tank Rack Conveyor   | Dual Sanitizing Machine          | 0.75                 | 1.29             | 0.62      |
| Hobart       | CLCS66eNER  | CLCS66eNER   |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.29             | 0.62      |
| Hobart       | CLCS66eR    | CLCS66eR     |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.33             | 0.63      |
| Hobart       | CLCS76eN    | CLCS76eN     |                  | Single Tank Rack Conveyor   | Dual Sanitizing Machine          | 0.75                 | 1.29             | 0.56      |
| Hobart       | CLCS76eNER  | CLCS76eNER   |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.29             | 0.56      |
| Hobart       | CLCS76eR    | CLCS76eR     |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.33             | 0.63      |
| Hobart       | CLCS86e     | CLCS86e      |                  | Multiple Tank Rack Conveyor | Dual Sanitizing Machine          | 0.93                 | 1.74             | 0.39      |
| Hobart       | CLCS86eN    | CLCS86eN     |                  | Multiple Tank Rack Conveyor | Dual Sanitizing Machine          | 0.93                 | 1.74             | 0.39      |
| Hobart       | CLCS86eNER  | CLCS86eNER   |                  | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) |                      | 1.74             | 0.39      |
| Hobart       | CLCS86eR    | CLCS86eR     |                  | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) |                      | 1.74             | 0.39      |
| Hobart       | CLPS66e     | CLPS66e      |                  | Single Tank Rack Conveyor   | Dual Sanitizing Machine          | 0.75                 | 1.29             | 0.62      |
| Hobart       | CLPS66eN    | CLPS66eN     |                  | Single Tank Rack Conveyor   | Dual Sanitizing Machine          | 0.75                 | 1.29             | 0.62      |
| Hobart       | CLPS66eNADV | CLPS66eNADV  |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.29             | 0.62      |
| Hobart       | CLPS66eNER  | CLPS66eNER   |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.29             | 0.62      |
| Hobart       | CLPS66eR    | CLPS66eR     |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.33             | 0.63      |
| Hobart       | CLPS76e     | CLPS76e      |                  | Single Tank Rack Conveyor   | Dual Sanitizing Machine          | 0.75                 | 1.29             | 0.56      |
| Hobart       | CLPS76eN    | CLPS76eN     |                  | Single Tank Rack Conveyor   | Dual Sanitizing Machine          | 0.75                 | 1.29             | 0.56      |
| Hobart       | CLPS76eNADV | CLPS76eNADV  |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.29             | 0.56      |
| Hobart       | CLPS76eNER  | CLPS76eNER   |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.29             | 0.56      |
| Hobart       | CLPS76eR    | CLPS76eR     |                  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) |                      | 1.33             | 0.63      |

### ENERGY STAR Certified Dishwashers

**\*\*City of Seattle not qualified for PSE / SCL / SWP dishwasher incentive due to Seattle City Code\*\***

| Brand Name | Model Name       | Model Number     | Additional Model  | Type                        | Sanitization Method                    | Idle Energy Rate for | Idle Energy Rate | Water Use |
|------------|------------------|------------------|---|-----------------------------|--|----------------------|------------------|-----------|
| Hobart     | CLPS86e          | CLPS86e          |   | Multiple Tank Rack Conveyor | Dual Sanitizing Machine                | 0.93                 | 1.74             | 0.39      |
| Hobart     | CLPS86eN         | CLPS86eN         |   | Multiple Tank Rack Conveyor | Dual Sanitizing Machine                | 0.93                 | 1.74             | 0.39      |
| Hobart     | CLPS86eNADV      | CLPS86eNADV      |   | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp)       |                      | 1.74             | 0.39      |
| Hobart     | CLPS86eNER       | CLPS86eNER       |   | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp)       |                      | 1.74             | 0.39      |
| Hobart     | CLPS86eR         | CLPS86eR         |   | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp)       |                      | 1.74             | 0.39      |
| Hobart     | LXeC             | LXeC             |   | Under Counter               | Chemical Sanitizing (Low Temp)         | 0.1                  |                  | 0.74      |
| Hobart     | LXeH             | LXeH             |   | Under Counter               | Hot Water Sanitizing (High Temp)       |                      | 0.14             | 0.74      |
| Hobart     | LXePR            | LXePR            |   | Under Counter               | Chemical Sanitizing (Low Temp)         | 0.1                  |                  | 1.14      |
| Hobart     | LXeR             | LXeR             |   | Under Counter               | Hot Water Sanitizing (High Temp)       |                      | 0.14             | 0.62      |
| Hobart     | LXeSPR           | LXeSPR           |   | Under Counter               | Chemical Sanitizing (Low Temp)         | 0.1                  |                  | 0.62      |
| Hobart     | LXeSR            | LXeSR            |   | Under Counter               | Hot Water Sanitizing (High Temp)       |                      | 0.14             | 0.62      |
| Hobart     | LXGePR           | LXGePR           |   | Under Counter - Glasswasher | Chemical Sanitizing (Low Temp)         | 0.09                 |                  | 1.14      |
| Hobart     | LXGeR            | LXGeR            |   | Under Counter - Glasswasher | Hot Water Sanitizing (High Temp)       |                      | 0.14             | 0.62      |
| Insinger   | Commander 18-6   | Commander 18-6   |   | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)       |                      | 0.52             | 0.87      |
| Insinger   | Commander 18-6C  | Commander 18-6C  |   | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)       |                      | 0.52             | 0.87      |
| Insinger   | Commander 18-6H  | Commander 18-6H  |   | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)       |                      | 0.52             | 0.87      |
| Insinger   | Commander 18-6HC | Commander 18-6HC |   | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)       |                      | 0.52             | 0.87      |
| Insinger   | LT-40S           | LT-40S           |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)         |                      |                  | 1.07      |
| Jackson    | Avenger HT ES    | Avenger HT ES    |   | Under Counter               | Hot Water Sanitizing (High Temp)       |                      | 0.15             | 0.73      |
| Jackson    | Avenger LT       | Avenger LT       | Avenger LT. Name Difference is for marketing purposes only.; ,ULT,Unit specifically for corporate program; ,Ware Force UL30,Unit specifically for chemical dealers; ,WareForce UL30-FND,Equivalent to Ware Force UL30. Name Difference is for   | Under Counter               | Chemical Sanitizing (Low Temp) Machine | 0.17                 |                  | 1.16      |
| Jackson    | Conservex XL-E   | Conservex XL-E   |   | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)         |                      |                  | 1.01      |
| Jackson    | ConservexXL2     | ConservexXL2     | XL2-CML.; Conservex XL2-CMR,Conservex XL2-CMR; Ware Force 2,Ware Force 2,Same as Conservex XL2, but made for Chemical Dealers. Different decals and shape of control box.; Ware Force 2-CML,Ware Force 2-CML,Same as Conservex XL2, but made for Chemical Dealers. Different decals and shape of control box.; Ware Force 2-CMR,Ware Force 2-CMR,Same as Delta 5E.,Same as Delta 5. Has an electromechanical timer as opposed to the solid state timer.; GW5.,Same as Delta 5. Offered only to special corporate customers. Has different decals; Ware Force DG.,Same as Delta 5. Offered | Stationary Single Tank Door | Chemical Sanitizing (Low Temp) Machine | 0.01                 |                  | 1.13      |
| Jackson    | Delta 5          | Delta 5          |   | Under Counter               | Chemical Sanitizing (Low Temp) Machine | 0.2                  |                  | 1.15      |
| Jackson    | Delta HT-E       | Delta HT-E       | ,WareForce UH30HT-E,  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)       |                      | 0.45             | 0.43      |
| Jackson    | Delta HT-E-SEER  | Delta HT-E-SEER  | ,WareForce UH30HT-E-SEER,   | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)       |                      | 0.45             | 0.43      |
| Jackson    | DISHSTAR LTH     | DISHSTAR LTH     |   | Under Counter               | Chemical Sanitizing (Low Temp)         | 0.41                 |                  | 0.64      |
| Jackson    | DishstarHT-E     | DishstarHT-E     | ,WareForce UH-30-E,   | Under Counter               | Hot Water Sanitizing (High Temp)       |                      |                  | 0.65      |

### ENERGY STAR Certified Dishwashers

**\*\*City of Seattle not qualified for PSE / SCL / SWP dishwasher incentive due to Seattle City Code\*\***

| Brand Name   | Model Name       | Model Number     | Additional Model   | Type                        | Sanitization Method                      | Idle Energy Rate for | Idle Energy Rate | Water Use |
|--------------|------------------|------------------|--|-----------------------------|--|----------------------|------------------|-----------|
| Jackson      | Dynatemp-VER     | Dynatemp-VER     | ,Dynatemp N-VER;<br>,WareForce HT-180DT-VER;   | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine |                      |                  | 0.66      |
| Jackson      | Rackstar 44      | Rackstar 44      | ,RackStar 66,; ,WareForce RS44,; ,WareForce RS66,  | Single Tank Rack Conveyor   | Dual Sanitizing Machine                  | 0.44                 | 1.35             | 0.26      |
| Jackson      | Tempstar         | Tempstar         | UHT,UHT,Model sold to special corporate rates. Same except for decals. ; Ware Force HT-180,Ware Force HT-180,Model sold to chemical dealers. Same except for | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine |                      | 0.41             | 0.88      |
| Jackson      | Tempstar HH LT   | Tempstar HH LT   |  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           | 0.22                 |                  | 0.81      |
| Jackson      | Tempstar HH-E    | Tempstar HH-E    | ,DHT-HH-E,; ,DHT-HH/NB-E,; ,Tempstar HH/NB-E,; ,WareForce HT-180HH-E,; ,WareForce HT-180HH/NB-E,   | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine |                      | 0.46             | 0.72      |
| Jackson      | Tempstar HH-EV   | Tempstar HH-EV   | ,DHT-HH-EV,; ,DHT-HH/NB-EV,; ,Tempstar HH/NB-EV,; ,WareForce HT-180HH-EV,; ,WareForce HT-180HH/NB-EV,  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) Machine |                      | 0.46             | 0.72      |
| Jet-Tech     | 747              | 747              |  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.25             | 0.66      |
| Jet-Tech     | 727E             | 727E             |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.4              | 0.4       |
| Jet-Tech     | 737E             | 737E             |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.4              | 0.4       |
| Jet-Tech     | 757E             | 757E             |  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.5              | 0.41      |
| Jet-Tech     | F-14             | F-14             |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.32             | 0.84      |
| Jet-Tech     | F-16DP           | F-16DP           |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.32             | 0.84      |
| Jet-Tech     | F-18DP           | F-18DP           |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.32             | 0.84      |
| Jet-Tech     | F-22             | F-22             |  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.25             | 0.66      |
| Kromo        | DUPLA 50 USA     | DUPLA 50 USA     |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.42             | 0.79      |
| Kromo        | LUX60EL-PLUS USA | LUX60EL-PLUS USA |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.37             | 0.79      |
| Lamber SNC   | DSP3             | DSP3             |  | Under Counter - Glasswasher | Hot Water Sanitizing (High Temp)         |                      | 0.16             | 0.55      |
| Lamber SNC   | F92-ek           | F92-ek           |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.24             | 0.48      |
| Lamber SNC   | L21-ek           | L21-ek           |  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.58             | 0.55      |
| Lamber SNC   | L25-ek (1 Phase) | L25-ek (1 Phase) |  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.41             | 0.67      |
| Lamber SNC   | L25-ek (3 phase) | L25-ek (3 phase) |  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.48             | 0.81      |
| Lamber SNC   | Minibar          | Minibar          |  | Under Counter - Glasswasher | Hot Water Sanitizing (High Temp)         |                      | 0.21             | 0.33      |
| Lamber SNC   | S480-ek          | S480-ek          |  | Under Counter - Glasswasher | Hot Water Sanitizing (High Temp)         |                      | 0.16             | 0.55      |
| Meiko        | CS 70            | CS 70            |  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 1.1       |
| Meiko        | DV 80.2          | DV 80.2          |  | Stationary Single Tank Door | Hot Water Sanitizing (High Temp)         |                      | 0.27             | 0.74      |
| Meiko        | FV 40.2          | FV 40.2          |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.21             | 0.77      |
| Meiko        | FV 40.2G         | FV 40.2G         |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.21             | 0.77      |
| Meiko        | K-44E            | K-44E            |  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)         |                      | 1.14             | 0.44      |
| Meiko        | K-66E            | K-66E            |  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)         |                      | 1.14             | 0.44      |
| Meiko        | K-80E            | K-80E            |  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp)         |                      | 1.14             | 0.44      |
| Meiko        | M-iClean UM+     | M-iClean UM+     |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.1              | 0.63      |
| Meiko        | M-iClean US      | M-iClean US      |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.15             | 0.57      |
| Moyer Diebel | 240HT            | 240HT            |  | Under Counter - Glasswasher | Hot Water Sanitizing (High Temp)         |                      | 0.44             | 0.84      |
| Moyer Diebel | 351HT            | 351HT            | ,383HT,  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.37             | 0.84      |
| Moyer Diebel | 383HT            | 383HT            | ,351HT,  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.37             | 0.84      |
| Moyer Diebel | 601HR            | 601HR            |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.46             | 0.76      |
| Moyer Diebel | MD2000L          | MD2000L          |  | Stationary Single Tank Door | Chemical Sanitizing (Low Temp)           |                      |                  | 1.01      |
| Moyer Diebel | MD240HT          | MD240HT          |  | Under Counter - Glasswasher | Hot Water Sanitizing (High Temp)         |                      | 0.44             | 0.84      |
| Perlick      | PKHT24           | PKHT24           |  | Under Counter               | Hot Water Sanitizing (High Temp)         |                      | 0.4              | 0.73      |
| Stero        | ER-44            | ER-44            | ,ER-44-10,; ,ER66S,; ,ER76S,; ,ER76SC,; ,ER90S,; ER-44,ER-44,  | Single Tank Rack Conveyor   | Hot Water Sanitizing (High Temp) Machine |                      | 1.31             | 0.65      |

## ENERGY STAR Certified Dishwashers

**\*\*City of Seattle not qualified for PSE / SCL / SWP dishwasher incentive due to Seattle City Code\*\***

| Brand Name | Model Name | Model Number | Additional Model              | Type                        | Sanitization Method              | Idle Energy Rate for | Idle Energy Rate | Water Use |
|------------|------------|--------------|-------------------------------|-----------------------------|----------------------------------|----------------------|------------------|-----------|
| Stero      | ER-64      | ER-64        | ,ER-86S,; ,ER-94S,; ER-64,ER- | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) |                      | 1.88             | 0.45      |
| Stero      | ER-94SC    | ER-94SC      | ER-94SC,ER-94SC,              | Multiple Tank Rack Conveyor | Hot Water Sanitizing (High Temp) |                      | 1.88             | 0.45      |
| Stero      | SD3        | SD3          |                               | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) |                      | 0.55             | 0.85      |
| Stero      | SD3        | SD3          |                               | Stationary Single Tank Door | Hot Water Sanitizing (High Temp) |                      | 0.55             | 0.85      |
| Stero      | SG         | SG           |                               | Under Counter - Glasswasher | Chemical Sanitizing (Low Temp)   | 0.09                 |                  | 0.74      |
| Stero      | SUH        | SUH          |                               | Under Counter               | Hot Water Sanitizing (High Temp) |                      | 0.14             | 0.78      |
| Stero      | SUL        | SUL          |                               | Under Counter               | Chemical Sanitizing (Low Temp)   | 0.1                  |                  | 0.88      |